


$$\frac{\sin}{\cos} = \frac{\frac{\text{opp}}{\text{hyp}}}{\frac{\text{adj}}{\text{hyp}}} = \frac{\text{opp}}{\text{hyp}} \cdot \frac{\text{hyp}}{\text{adj}} = \frac{\text{opp}}{\text{adj}}$$

Trigonometric Ratios


SOH CAH TOA

$$\sin(\theta) = \frac{\text{opposite}}{\text{hypotenuse}} \quad \cos(\theta) = \frac{\text{adjacent}}{\text{hypotenuse}} \quad \tan(\theta) = \frac{\text{opposite}}{\text{adjacent}}$$




If we are given a point, $P(x, y)$, we will have 2 of the three distances that we need to know. We will still need to figure out the distance to the origin, r . The pythagorean theorem will help us here.

$P(3, 4)$




$$\frac{1}{2} = \sin 30 = \frac{\text{opp}}{2}$$



$$\sin 30 = \frac{\text{opp}}{\text{hyp}}$$

$$\cos 30 = \frac{\text{adj}}{\text{hyp}}$$

$$\cos 30 = \frac{\sqrt{3}}{2}$$



In Quadrant 1 (Q1) the angle (θ) and the reference angle (θ_r) are the same. For any other quadrant you will use the reference angle to determine the value of the trigonometric ratio then you will need to use logic (or memorization) to determine the sign of the angle.

Let's do one in each quadrant.


Find the sine, cosine, and tangent for θ in each graph.

45°

$$\sin 45^\circ = \frac{\sqrt{2}}{2} = \frac{1}{\sqrt{2}}$$

$$\cos 45^\circ = \frac{1}{\sqrt{2}}$$

$$\tan 45^\circ = 1$$




135°

$$\sin 135^\circ = \frac{1}{\sqrt{2}}$$

$$\cos 135^\circ = -\frac{1}{\sqrt{2}}$$


$$\tan 135^\circ = -1$$



$$\sin 225 = -\frac{1}{\sqrt{2}}$$


$$\cos 225 = -\frac{1}{\sqrt{2}}$$

$$\tan 225 = 1^{225^\circ}$$




$$\begin{aligned}\sin 315 &= -\frac{1}{\sqrt{2}} \\ \cos 315 &= \frac{1}{\sqrt{2}} \\ \tan 315 &= -1\end{aligned}$$

315°



Point $P(-8, 15)$ lies on the terminal arm of an angle θ , in standard position. Determine the exact trig ratios for $\sin(\theta)$, $\cos(\theta)$, and $\tan(\theta)$.




$$\tan \theta = \frac{\text{opp}}{\text{adj}} = -\frac{15}{8}$$

$$\sin \theta = \frac{\text{opp}}{\text{hyp}} = \frac{15}{17}$$

$$\cos \theta = \frac{\text{adj}}{\text{hyp}} = -\frac{8}{17}$$

$$\begin{aligned}r &= \sqrt{15^2 + 8^2} \\ &= 17\end{aligned}$$


The point, $P(-5, -12)$ lies on the terminal arm of an angle θ in standard position. Determine the exact trigonometric ratios for $\sin(\theta)$, $\cos(\theta)$, and $\tan(\theta)$.




$$r = \sqrt{5^2 + 12^2}$$

$$= 13$$

Determine the exact value of $\cos(135^\circ)$.



Suppose θ is an angle in standard position with terminal arm in Q3,
and $\cos(\theta) = -\frac{3}{5}$. What are the exact values of $\sin(\theta)$, $\cos(\theta)$, and $\tan(\theta)$?



$$\begin{aligned}\sin \theta &= -\frac{4}{5} \\ \cos \theta &= -\frac{3}{5} \\ \tan \theta &= \frac{4}{3}\end{aligned}$$



Determine the trig ratios for:

$$\theta = 90^\circ$$


$$\theta = 180^\circ$$

$$\theta = 270^\circ$$

$$\theta = 360^\circ$$

$$\sin 90^\circ = 1$$

$$\cos 90^\circ = 0$$



$$\sin \rightarrow y$$

$$\cos \rightarrow x$$

HW:2.2:

2, 3, 5, 9, 11, 14, 20